

Iron Mountain Public Schools

Request for Proposal - School Safety Grant Projects

The Iron Mountain Public Schools District will receive sealed Request for Proposal (RFP) Packets until July 28, 2022 at 2:00 PM CDT for the following facilities:

North Elementary
900 5th St
Iron Mountain, MI 49801

Central Middle School Addition
217 W. Hughitt St
Iron Mountain, MI 49801

Izzo-Mariucci Athletic Center
217 Izzo-Mariucci Way
Iron Mountain, MI 49801

IM-K Community Schools
800 E. E St
Iron Mountain, MI 49801

The Request for Proposal includes several sections within each building. Vendors may elect to bid on a minimum of one project section to a maximum of all of the project sections. Vendors will be selected individually for each individual section.

The Proposals (also referred to as "Bids") shall either be sent via mail or hand delivered. Bids received via fax or email will be considered to be invalid. Bids received after July 28, 2022 at 2:00 PM CDT will be considered to be invalid.

To submit via mail or hand delivery, send the completed bid forms and related documents to:

Iron Mountain Public Schools
ATTN: School Safety Grant Evaluation
217 Izzo Mariucci Way
Iron Mountain, MI 49801

Unsealing and Evaluation of Bids

Sealed bids will be opened by the Superintendent or the Superintendent's designee in the presence of at least one (1) witness on July 28, 2022 at 2:30 PM.

Consideration of the proposals will be given to:

- The overall price of the item(s) and services supplied;
- The quality of the item(s) and services to be supplied;
- Its conformity with specifications;
- Suitability to the requirements of the school;
- Delivery terms;
- Past performance of the vendor.

Questions about the RFP

If a vendor has a question about the RFP, they may email rfp@imschools.org. Emailed questions are preferred. Vendors may also call the Administration Office at (906) 779-2600.

Overall Project Description

The Iron Mountain Public Schools District (referred to as IMPS) is looking to upgrade its security equipment throughout the school district. These upgrades will be paid for in part by the Michigan State Police Competitive School Safety Grant Program, pending final approval from the Michigan State Police. IMPS is seeking proposals for four buildings which have security equipment components in need of repair or replacement. The Project Sections portion of this RFP contains the projects being included in this RFP.

Public Safety Grant Component Requirements

The following components have explicit requirements contained within the Michigan State Police Competitive School Safety Grant. The following components must meet the minimum requirements in order to be considered eligible for this RFP.

Doors/Doorways and Related Components

- Exterior doors must be constructed of high-strength steel or aluminum alloy.
- Replacement doors and frames must meet or exceed ASTM E2395-18, F476-14, F3038-14; AAMA 1304-18; or similar standards.

Replacement Windows and Sidelights

Replacement windows and sidelights in doors/doorways must meet the following standards:

- Glazing must be security-grade, composed of shatter-resistant material (e.g. laminated glass or similar synthetic material), and designed to meet or exceed ASTM F588-17, F1233-08, E2395-18, or similar standards; or include window film as indicated below.
- Framing, connections, and supporting structural elements must be in such a manner as to resist separation from glazing and designed to meet or exceed ASTM F588-17, F1233-08, E2395-18, or similar standards.

- Window film must be shatter-resistant and designed for safety/security applications and meet or exceed ANSI Z97.1-2015, EN 356, EN 12600, UL 972, ULC 332, or similar standards.
- Window film must be installed in such a manner as to resist separation from framing through the use of high-strength adhesive caulking or other attachment system, which must meet or exceed ASTM C1564 or similar standards. The resulting glazing system must meet or exceed ASTM F1233-08, E2395-18, or similar standards.
- Perforated window film/vinyl is not permissible.

Exterior Door Locks

- Replacement door locks must be commercial-grade, ANSI/BHMA Grade 1 certified.

Panic Bars

- Panic bars should utilize flush push bar hardware to prevent chaining doors closed.

Iron Mountain Public Schools Component Requirements

The following components have additional requirements necessary to be valid for the consideration of Iron Mountain Public Schools.

Doors/Doorways and Related Components

- Door closers shall be adjustable to ensure that the door can be adjusted to close in all weather conditions.
- Door closers shall have an adequate backcheck to prevent damage to the door, frame, hardware, and/or wall.
- Electric door strikes and electric door handles must be compatible with the existing door access readers.

Approval of Funding and Start of Contracts

Iron Mountain Public Schools will not enter into a signed contract with vendors in regards to this Request For Proposal (RFP) until the Michigan State Police issue their approval for the intended contract. Iron Mountain Public Schools will not purchase equipment or services for the Competitive Safety Grant Program without prior approval from the Michigan State Police.

Pre-Bid Meeting

Bidders are highly recommended, but are not required, to attend the pre-bid meeting on Wednesday, July 6th, 2022 at 9:00 AM CDT in the Commons Area of the Izzo-Mariucci Building; 217 Izzo Mariucci Way, Iron Mountain, MI 49801. Vendors will be required to sign in. Immediately following the meeting, a guided tour and inspection of the project sites will be conducted. Note that vendors will be touring the following buildings: the Izzo Mariucci Athletic Center, Central Middle School Addition Building, IM-K Community Schools Building (the former East Elementary building), and North Elementary. In the event of inclement weather and the District schools are closed, the Pre-bid meeting will be rescheduled. Please refer to the District website for further information about the Pre-Bid meeting.

Project Sections

This portion of the document contains the assorted projects being considered for the RFP. Vendors may select a minimum of one project section to bid on, up to a maximum of all of the project sections to bid on. Vendors will be selected per each section. Example - a vendor may have bid on all of the sections, but that vendor may only be selected for one section.

North Elementary

Project Section 1 - Exterior Doorways

Iron Mountain Public Schools seeks a proposal to perform the following repair and/or replacement work for the selected exterior doors in order to improve the overall security at the North Elementary Building. The project section proposal shall include line items for each part and the estimated labor cost for the removal of the existing door parts and installation of the replacement door parts.

- Receiving Room Doors on the second level.
 - One (1) Replacement handle and latch.
 - Note - the replacement handle must be compatible with the existing card access reader.
The card access reader electronically unlocks the door handle.
 - Replacement latch pins to go into the frame for the secondary door.
 - Replacement weather stripping.
 - Labor for the removal of old components and installation of the replacement equipment.
- Daycare/Gym Entrance Doors on the second level.
 - One (1) replacement mullion. Note - must be compatible with the existing electric door strike.
 - Two (2) replacement door closers.
 - Replacement weather stripping.
 - Labor for the removal of old components and installation of the replacement equipment.
- Door to access the playground from the gym.
 - One (1) replacement handle and latch. Note - latch must fit into the existing electric door strike latch holder.
 - Replacement weather stripping.
 - Labor for the removal of old components and installation of the replacement equipment.

Central Middle School Addition

Project Section 1 - Exterior Doorways

Iron Mountain Public Schools seeks a proposal to perform the following repair and/or replacement work for the selected exterior doors in order to improve the overall security at the Central Middle School Addition Building.

- Receiving area
 - Replacement pins for secondary door.
 - Labor for the removal of old components and installation of the replacement components.
- Main school entrance doors
 - Replacement push bar on all three pairs of doors - total of six (6) push bars and latches.
 - Replacement door closers on all three pairs of doors - total of six (6) door closers.
 - Labor for the removal of the old components and installation of replacement equipment.

Project Section 2 - Vestibules

Iron Mountain Public Schools seeks a proposal to add a locking capability for the interior doors of the existing vestibule at the Central Middle School Addition Building. Adding a locking capability on the interior set of doors will greatly enhance the security assets of the Central Middle School Addition Building. As such, two new doors will have to be purchased and a removable mullion will need to be installed.

- Two (2) Doors with push bars and push bar latches, door handles, door closers, and door locks compatible with a removable mullion and surface mount electric door strike.
- One (1) removable mullion which allows for the installation of a surface mounted electric door strike.
- Labor to remove the old components and install the vestibule components.

Izzo/Mariucci Athletic Center

Project Section 1 - Exterior Doorways

Iron Mountain Public Schools seeks a proposal to perform the following repair and/or replacement work for the selected exterior doors in order to improve security at the Izzo/Mariucci Athletic Center. There are several areas of the Izzo/Mariucci Athletic Center whose exterior doors are in need of repair or replacement:

- Commons A Street Entrance
 - Two (2) replacement push bars and latches.
 - Two (2) replacement closers.
 - Two (2) replacement exterior door handles.
 - Labor to remove the old components and install the replacement components.
- Stairwell A Street Entrance
 - One (1) replacement push bar and latches.
 - One (1) replacement closer.
 - Labor to remove the old components and install the replacement components.
- Commons Carpenter Avenue Entrance
 - Two (2) replacement push bars and latches.
 - Two (2) replacement closers.
 - Two (2) replacement exterior door handles.
 - Labor to remove the old components and install the replacement components.
- Stairwell Carpenter Avenue Entrance
 - One (1) replacement push bar and latch.
 - One (1) replacement closer.
 - Labor to remove the old components and install the replacement components.
- Gym South-East Exterior
 - Replacement door, handle, latch, closer, lock, and threshold. Note - indicate on bid form if the door includes all of the parts or if those are priced individually.
 - Labor to remove the old components and install the replacement components.
- Gym South-West Exterior
 - Replacement door, handle and latch, closer, lock, and threshold. Note - indicate on bid form if the door includes all of the parts or if those are priced individually.
 - Labor to remove the old components and install the replacement components.
- Band Room Exterior
 - Replacement door, handle, latch, closer, lock, and threshold. Note - indicate on bid form if the door includes all of the parts or if those are priced individually.
 - Labor to remove the old components and install the replacement components.

Project Section 2 - Vestibules

Iron Mountain Public Schools seeks a proposal to enhance the existing vestibule entrance at the Izzo/Mariucci Athletic Center. The Prospect Street Entrance (also referred to as the Admin Entrance) will be made more secure by replacing the exterior doors and unlockable interior doors. One of the three existing doors (the one on the north side of the door frame) shall be made more secure by having the push bar and push bar latch replaced. If the existing door frame allows for this modification, two of the exterior doors shall be replaced to allow for a door system with a removable mullion to be installed. If the existing door frame cannot be modified to comply with both this RFP's requirement or the requirements of the Michigan State Police Competitive School Safety Grant Program, then a proposal to replace the entire exterior door frame will be acceptable.

Under this project's scope, the interior doors will also be planned to be replaced. One door of the three existing doors (the north side door) shall swing open in the existing manner. This will allow for the normal flow of traffic to occur. The other doors shall be replaced with a door system that features a removable mullion. All three doors will be installed with push bars with a locking mechanism to create a fully secure vestibule system. If the existing frame is found to be in an acceptable condition which complies with both the requirements of this RFP and the requirements of the Michigan State Police Competitive School Safety Grant Program, then a proposal to modify the frame with the removable mullion system will be acceptable. If the frame cannot be modified while maintaining the requirements of this RFP and the requirements of the Michigan State Police Competitive School Safety Grant Program, then a proposal to replace the entire interior door frame will be acceptable.

Prospect Street Entrance details of work scope in regards to the existing vestibule door setup with the assumption that the existing frame can be modified to meet the applicable requirements:

- One (1) replacement push bar and push bar latch for the northern side exterior door.
- One (1) replacement door closer for the northern side exterior door.
- Remove the middle and south side doors.
- Frame and install the new two door structure with a removable mullion.
 - Two (2) doors with a push bar system.
 - One (1) removable mullion.
 - Labor to remove the old components and install the components.
- Remove the existing interior three doors.
- Frame and install the new three door structure with a removable mullion.
 - Three (3) doors with a push bar system. Note - two of the three doors must be compatible with a removable mullion. Thus, the middle door will open towards the north and the southern door will open towards the south. Note - The replacement doors will require a door handle, door latch, door closer, door lock, and door threshold. Note - indicate on bid form if the door includes all of the parts or if those are priced individually.
 - One (1) removable mullion.
 - Labor to remove the old components and install the components.

IM-K Community Schools Building

Project Section 1 - Exterior Doorways

Iron Mountain Public Schools seeks a proposal to perform following repair and/or replacement work that needs to be completed to improve the security of the existing exterior doorways at the IM-K Community Schools building.

- The east end of the building's exterior door pair
 - Two (2) replacement push bar handles.

- Two (2) replacement door closers.
- Two (2) replacement exterior door handles.
- Labor to install the replacement door components.
- The Iron Mountain Homeschool Partnership Entrance primary (east most) door
 - One (1) replacement push bar.
 - One (1) replacement door closer.
 - One (1) replacement exterior door handle.
 - Labor to install the replacement components.
- Loading dock entrance
 - Replacement door handle and latch.
 - Note - the door handle and latch must be compatible with the existing card access reader.
 - Replacement latch pins.
 - Labor to remove the old components and install the replacement components.

Project Section 2 - Vestibules

Iron Mountain Public Schools seeks a proposal to perform following repair and/or replacement work that needs to be completed to improve the security of the existing vestibule entrance.

- Two (2) replacement door closers on the exterior door of the vestibule.
- One (1) replacement door threshold for the exterior door.
- Two (2) replacement door closers on the interior doors of the vestibule.
- Labor to remove the old components and install the new components.

Vendor Bid Forms

The following forms are required for proposal consideration:

- The bid form cover letter.
- The bid form(s) for which you/your company is offering a proposal.
- Attachment A - Familial Disclosure Form
- Attachment B - Iran Economics Sanctions Act Certification
- Attachment C - Insurance Coverage

Note - Each building has the bid form on a separate page.

Note - Each bid form has a contingency costs section.

Bid Form Cover Letter (2 Pages)

TO: Iron Mountain Public Schools Hereinafter called "Owner"

PROJECT: School Safety Grant Projects
Iron Mountain, MI

DATE: _____

SUBMITTED BY: _____
(Hereinafter called "Bidder")

(Contact Person)

(Full address)

(Telephone #)

(FAX # or email address)

BASE BID

Having examined the place of work and all matters referred to in the instructions to bidders and specifications we the undersigned, hereby offer to enter into contract to perform the work for the following projects and for the project lump sum prices (in lawful money of the United States of America {Bidder include both written and numerical format}) of:

Vendor Name

Building Name	Project Name	Written Dollar Lump Sum Amount for Project	Numerical Dollar Lump Sum Amount for Project
North Elementary	Project Section 1 - Exterior Doorways		\$
Central Middle School Addition	Project Section 1 - Exterior Doorways		\$
Central Middle School Addition	Project Section 2 - Vestibules		\$
Izzo-Mariucci Athletic Center	Project Section 1 - Exterior Doorways		\$

Izzo-Mariucci Athletic Center	Project Section 2 - Vestibules		\$
IM-K Community Schools Building	Project Section 1 - Exterior Doorways		\$
IM-K Community Schools Building	Project Section 2 - Vestibules		\$

North Elementary Bid Form

North Elementary - Project Section 1 - Exterior Doorways		
Location	Component	Cost
Receiving Room Doors - Second Level	One (1) Replacement door handle and latch. Note - door handle and latch must be compatible with the existing card access reader. Component: _____	\$
Receiving Room Doors - Second Level	Replacement latch pins for secondary door. Component: _____	\$
Receiving Room Doors - Second Level	Replacement Weather Stripping. Component: _____	\$
Receiving Room Doors - Second Level	Labor to remove the old components and install the replacement components.	\$
Receiving Room Doors - Second Level	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Daycare/Gym Entrance Doors - Second Level	One (1) replacement mullion. Note - must be compatible with the existing electric door strike. Component: _____	\$
Daycare/Gym Entrance Doors - Second Level	Two (2) replacement door closers. Component: _____	\$
Daycare/Gym Entrance Doors - Second Level	Replacement weather stripping. Component: _____	\$
Daycare/Gym Entrance Doors - Second Level	Labor to remove the old components and install the replacement components.	\$

Daycare/Gym Entrance Doors - Second Level	Contingency Costs, if needed. Explain Reason for Contingency Costs:	\$
Playground Door in Gym - Second Level	One (1) Replacement handle and latch. Note - latch must fit into the existing electric door strike latch holder.	\$
Playground Door in Gym - Second Level	Replacement Weather Stripping	\$
Playground Door in Gym - Second Level	Labor to remove the old components and install the replacement components.	\$
Playground Door in Gym - Second Level	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Total		\$

Central Middle School Addition Bid Forms

Central Middle School Addition - Project Section 1 - Exterior Doorways		
Location	Component	Cost
Receiving Area	Replacement Pins for Secondary Door Component: _____	\$
Receiving Area	Labor to remove the old components and install the replacement components.	\$
Receiving Area	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Main School Entrance	Six (6) push bars and latches. Component: _____	\$
Main School Entrance	Six (6) replacement door closers. Component: _____	\$
Main School Entrance	Labor to remove the old components and install the replacement components.	\$
Main School Entrance	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Total		\$

Central Middle School Addition - Project Section 2 - Vestibules		
Location	Component	Cost
Main School Entrance	Two (2) doors compatible with a removable mullion and surface mount electric door strike. Note - if the new doors come with the push bar, push bar latch, door closer, and door lock, indicate that on the below component line. Component: _____	\$
Main School Entrance	Two (2) push bars and push bar latches. Component: _____	\$
Main School Entrance	Two (2) door handles. Component: _____	\$
Main School Entrance	Two (2) door closers. Component: _____	\$
Main School Entrance	Two (2) door locks. Component: _____	\$
Main School Entrance	One (1) removable mullion. Note - mullion must allow for the installation of a surface mounted electric door strike.	\$
Main School Entrance	Labor to remove the old components and install the replacement components.	\$
Main School Entrance	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Total		\$

Izzo/Mariucci Athletic Center Bid Forms

Izzo/ Mariucci Athletic Center - Project Section 1 - Exterior Doorways		
Location	Component	Cost
Commons A Street Entrance	Two (2) replacement push bars and push bar latches. Component: _____	\$
Commons A Street Entrance	Two (2) replacement door closers. Component: _____	\$
Commons A Street Entrance	Two (2) replacement exterior door handles. Component: _____	\$
Commons A Street Entrance	Labor to remove the old components and install the replacement components.	\$
Commons A Street Entrance	Contingency Costs, if needed. Explain Reason for contingency costs:	\$
Stairwell A Street Entrance	One (1) replacement push bar and latch. Component: _____	\$
Stairwell A Street Entrance	One (1) replacement door closer. Component: _____	\$
Stairwell A Street Entrance	Labor to remove the old components and install the replacement components.	\$
Stairwell A Street Entrance	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Commons Carpenter Avenue Entrance	Two (2) replacement push bars and latches. Component: _____	\$

Commons Carpenter Avenue Entrance	Two (2) replacement door closers. Component: _____	\$
Commons Carpenter Avenue Entrance	Two (2) replacement exterior door handles. Component: _____	\$
Commons Carpenter Avenue Entrance	Labor to remove the old components and install the replacement components.	\$
Commons Carpenter Avenue Entrance	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Stairwell Carpenter Avenue Entrance	One (1) replacement push bar and latch. Component: _____	\$
Stairwell Carpenter Avenue Entrance	One (1) replacement door closer. Component: _____	\$
Stairwell Carpenter Avenue Entrance	Labor to remove the old components and install the replacement components.	\$
Stairwell Carpenter Avenue Entrance	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Gym South-East Exterior	Replacement door. Component: _____	\$
Gym South-East Exterior	Replacement door handle and latch.	\$

	Component: _____	
Gym South-East Exterior	Replacement door closer. Component: _____	\$
Gym South-East Exterior	Replacement door lock. Component: _____	\$
Gym South-East Exterior	Replacement door threshold. Component: _____	\$
Gym South-East Exterior	Labor to remove the old components and install the replacement components.	\$
Gym South-East Exterior	Contingency Costs, if needed. Explain Reason for Contingency Costs:	\$
Gym South-West Exterior	Replacement door. Component: _____	\$
Gym South-West Exterior	Replacement door handle and latch. Component: _____	\$
Gym South-West Exterior	Replacement door closer. Component: _____	\$
Gym South-West Exterior	Replacement door lock. Component: _____	\$
Gym South-West Exterior	Replacement door threshold. Component: _____	\$

Gym South-West Exterior	Labor to remove the old components and install the replacement components.	\$
Gym South-West Exterior	Contingency Costs, if needed. Explain Reason for Contingency Costs:	\$
Band Room Exterior	Replacement door. Component: _____	\$
Band Room Exterior	Replacement door handle and latch. Component: _____	\$
Band Room Exterior	Replacement door closer. Component: _____	\$
Band Room Exterior	Replacement door lock. Component: _____	\$
Band Room Exterior	Replacement door threshold. Component: _____	\$
Band Room Exterior	Labor to remove the old components and install the replacement components.	\$
Band Room Exterior	Contingency Costs, if needed. Explain Reason for Contingency Costs:	\$
Total		\$

Izzo/Mariucci Athletic Center - Project Section 2 - Vestibules		
Location	Component	Cost
Izzo Admin Entrance - Northern Side Exterior Door	One (1) replacement push bar. Component: _____	\$
Izzo Admin Entrance - Northern Side Exterior Door	One (1) replacement door closer. Component: _____	\$
Izzo Admin Entrance - Middle and Southern Side Doors	Two (2) doors compatible with a removable mullion and surface mount electric strike. Note - if the new doors come with the push bar, push bar latch, door closer, door lock, and door threshold, indicate that on the below component line. Component: _____	\$
Izzo Admin Entrance - Middle and Southern Side Doors	Two (2) push bars and push bar latches. Component: _____	\$
Izzo Admin Entrance - Middle and Southern Side Doors	Two (2) door handles. Component: _____	\$
Izzo Admin Entrance - Middle and Southern Side Doors	Two (2) door closers. Component: _____	\$
Izzo Admin Entrance - Middle and Southern Side Doors	Two (2) door locks. Component: _____	\$
Izzo Admin Entrance - Middle and Southern Side Doors	Two (2) door thresholds. Component: _____	\$
Izzo Admin Entrance - Middle and Southern Side Doors	One (1) removable mullion. Note - mullion must allow for the installation of a surface mounted electric door strike. Component: _____	\$
Izzo Admin Entrance	Labor to remove the old components and install the replacement components.	\$

Izzo Admin Entrance	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Izzo Admin Entrance - Interior Vestibule Doors	Three (3) doors with a push bar system. Note - two of the three doors must be compatible with a removable mullion. Thus, the middle door will open towards the north and the southern door will open towards the south. Note - The replacement doors will require a door handle, door latch, door closer, and door lock. Note - indicate on the below component line if the door includes all of the door components or if those are priced individually. Component: _____	\$
Izzo Admin Entrance - Interior Vestibule Doors	Three (3) push bars and push bar latches. Component: _____	\$
Izzo Admin Entrance - Interior Vestibule Doors	Three (3) door closers. Component: _____	\$
Izzo Admin Entrance - Interior Vestibule Doors	Three (3) door locks. Component: _____	\$
Izzo Admin Entrance - Interior Vestibule Doors	One (1) removable mullion. Component: _____	\$
Izzo Admin Entrance - Interior Vestibule Doors	Labor to remove the old components and install the replacement components.	\$
Izzo Admin Entrance - Interior Vestibule Doors	Contingency Costs, if needed. Explain reason for contingency costs:	\$
Total		\$

IM-K Community Schools Building Bid Forms

IM- K Community Schools Building - Project Section 1 - Exterior Doorways		
Location	Component	Cost
East End Entrance	Two (2) replacement push bars and push bar latches. Component: _____	\$
East End Entrance	Two (2) replacement door closers. Component: _____	\$
East End Entrance	Two (2) replacement exterior door handles. Component: _____	\$
East End Entrance	Labor to remove the old components and install the replacement components.	\$
East End Entrance	Contingency Costs, if needed. Explain reason for contingency costs: 	\$
Iron Mountain Homeschool Partnership Entrance - East Door	One (1) replacement push bar. Component: _____	\$
Iron Mountain Homeschool Partnership Entrance - East Door	One (1) replacement door closer. Component: _____	\$
Iron Mountain Homeschool Partnership Entrance - East Door	One (1) replacement exterior door handle. Component: _____	\$
Iron Mountain Homeschool Partnership Entrance - East Door	Labor to remove the old components and install the replacement components.	\$

Iron Mountain Homeschool Partnership Entrance - East Door	Contingency costs, if needed. Explain reason for contingency costs below:	\$
Loading Dock Entrance	One (1) replacement door handle and latch. Note - the door handle and latch must be compatible with the existing card access reader. Component: _____	\$
Loading Dock Entrance	Replacement latch pins Component: _____	\$
Loading Dock Entrance	Labor to remove the old components and install the replacement components.	\$
Loading Dock Entrance	Contingency costs, if needed. Explain reason for contingency costs below:	\$
Total		\$

IM- K Community Schools Building - Project Section 2 - Vestibules		
Location	Component	Cost
Primary Entrance - Exterior Doors	Two (2) replacement door closers. Component: _____	\$
Primary Entrance - Exterior Doors	One (1) replacement door threshold. Component: _____	\$
Primary Entrance - Interior Doors	Two (2) replacement door closers. Component: _____	\$
Primary Entrance	Labor to remove the old components and install the replacement components.	\$
Primary Entrance	Contingency costs, if needed. Explain reason for contingency costs below:	\$
Total		\$

Attachment A - Familial Disclosure Form

AFFIDAVIT OF BIDDER

AFFIDAVIT OF *(insert name of affiant)*

STATE OF MICHIGAN)
) SS

COUNTY OF _____)

_____ makes this Affidavit under oath and states as follows:

(Insert name of affiant)

1. I am a/the: ☐ President ☐ Vice-President ☐ Chief Executive Officer ☐ Member ☐ Partner ☐ Owner
☐ Other (please specify) _____
of _____, a bidder for the School Safety
Grant Projects at Iron Mountain Public Schools.

2. I have personal knowledge and/or I have personally verified that the following are all of the familial relationships existing between the owner(s) and the employee(s) of the aforementioned contractor and the school district's superintendent and/or board members.

3. I have the authority to bind the aforementioned contractor with the representations contained herein, and I am fully aware that the school district will rely on my representations in evaluating bids for the School Safety Grant Projects for Iron Mountain Public Schools.
4. I declare the above information to be true to the best of my knowledge, information and belief. I can completely and accurately testify regarding the information contained in this affidavit if requested to do so.

(Signature of affiant)

(Date)

Subscribed and sworn before me in _____ County, Michigan on the ____ day
of _____, 20____.

Signature: _____

Printed Name: _____

Notary Public, State of Michigan, County of _____.

My Commission expires on _____.

Acting in the County of _____.

Attachment B - Iran Economic Sanctions Act Certification

I am the (title) _____ of (bidder) _____,
or I am bidding in my individual capacity ("Bidder"), with authority to submit a binding bid for the provision of
Michigan State Police Competitive School Safety Grant Program projects at Iron Mountain Public Schools. I
have personal knowledge of the matters described in this Certification, and I am familiar with the Iran
Economic Sanctions Act, MCL 129.311, et seq. ("Act"). I am fully aware that the school district will rely on my
representations in evaluating bids.

I certify that Bidder is not an Iran-linked business, as that term is defined in the Act. I understand that
submission of a false certification may result in contract termination, ineligibility to bid for three (3) years, and a
civil penalty of \$250,000 or twice the bid amount, whichever is greater, plus related investigation and legal
costs.

(Signature)

(Printed name)

(Date)

Attachment C - Insurance Coverage

Please provide a Certificate of Insurance and any other relevant insurance information.

☐ Broad Form Comprehensive General Liability Insurance (including-Premises, Contractual, Products & Completed Operations-including Broad Form Extensions)

☐ Each Occurrence - _____

☐ General Aggregate - _____

☐ Products & Completed Operations Aggregate - _____

☐ Personal Injury & Advertising Injury - _____

☐ Fire/Legal - _____

All copies of insurance coverage will be due at the time of execution of the Contract. Minimum of \$1 million aggregate for all personal injuries and \$1 million per person for bodily injury are required.